

Material Safety Data Sheet (MSDS)

1. PRODUCT AND COMPANY IDENTIFICATION

Trade Name: GK Series

Chemical Family:Polydimethylsiloxane Polymer

HMIS Rating:H0 F1 R0

Use of Material: Gasket, Sound insulation

Date Prepared: 29/11/2018

Company/Undertaking:Dongguan Guangmai Electronic Technology Company Limited

Identification:16B Building, Internation Finance IT Research Development Center,

NO.5 Keji Ten Road, Songshan Lake High-Tech Industrial Development

Zone, Dongguan City, China Phone: +86-0769-26621791

2. HAZARDS IDENTIFICATION

Classification of the material: NE

Labeling Requirements: NE

Effects of Overexposure: None are expected with normal handling. Materials listed in Section 2

are encapsulated or compounded making release unlikely. Cutting and other

finishing operations may create dust.
Ventilation and personal protective

equipment should be similar to operations generating nuisance dust.

Inhalation: Dusts may cause respiratory irritation.

Eye Contact: Dusts may cause irritation.

Skin Contact: Dusts may cause irritation.

Dongguan Guangmai Electronic Technology Company Limited Phone: +86-0769-26621791 Web: http://www.guangmai.com Address: 16B Building,Internation Finance IT Research Development Center, NO.5 Keji Ten Road,Songshan Lake High-Tech Industrial Development Zone,Dongguan City,China

Ingestion: None known.

Chronic: The IARC has listed carbon black as a Class 2B possible human carcinogen based on

animal studies.

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is produced as an "article" as defined in 20 CFR 1910.1200 and is therefore exempt from

the Hazard Communication Standard. Since this material does not release chemicals and will not

result in exposure to a hazardous chemical under normal conditions of use, no Material Data Sheet is

required. This form is provided as a convenience to our customers

Chemical Name Ratio of constituents /% CAS No. **EINECS** Polydimethylsiloxane 99 made by oneself made by oneself Polymer Carbon Black <1 1333-86-4 215-609-9

4. FIRST-AID MEASURES

Inhalation: Remove to fresh air. Obtain medical attention if symptoms persist.

Eye Contact: Flush eyes with large amounts of water for 15 to 20 minutes. Obtain medical attention

if symptoms persist.

Skin Contact: Immediately take off all contaminated clothing and flush area with water for 15 to 20

minutes. Obtain medical attention if symptoms persist.

Ingestion: Not a likely route of exposure. If large amounts of processing dusts are ingested resulting

in gastrointestinal discomfort, seek medical attention.

5. FIRE-FIGHTING MEASURES

Flash Point : NA Flammable Limits: LEL <u>NE</u> UEL <u>NE</u>

Autoignition Temperature: NA

Extinguishing Medla: _X _Water Spray _X _Foam _X _CO2 _X _Dry Chemical _Other Special Fire Fighting Procedures: Firefighters should be equipped with self-contained breathing

Unusual Fire and Explosion Hazards: Decomposition in a fire may produce toxic fumes and siliceous char.

6. ACCIDENTAL RELEASE MEASURES

apparatus and turnout gear.

PERSONAL PRECAUTIONS: Wear suitable protective equipment.

Wear self-contained breathing apparatus and heavy rubber gloves.

Avoid contact with skin and eyes.

Environmental Precautions: Prevent from entering sewer system, surface water or soil.

Cleaning Methods: Pick up larger solid materials.

Use broom and dust pan to collect smaller pieces.

Dispose of properly.

7. HANDLING AND STORAGE

Handling: Wear suitable protective equipment (refer to Section 8). Wash hands with soap and water after handling. Avoid processing conditions that release small particles of materials (10 micrometers or less).

Storage: Keep container tightly closed in a dry, cool, and well-ventilated area

8. ENGINEERING CONTROLS/PERSONAL PROTECTION

Respiratory Protection: None needed under normal conditions. If material is heated and odors are noticeable and/or irritating, a respirator meeting NIOSH requirements should be used. A qualified individual should evaluate each situation.

VENTILATION

Local: Recommended for all industrial operations.

General: Recommended for all industrial operations.

PERSONAL PROTECTION

Hand: Cotton gloves to protect from fiberglass.

Eye: Safety glasses are recommended with all industrial operations.

Skin: Any material that will prevent contact with fiberglass.

Other: Safety shower/eyewash in the area if possible tissue exposure to materials.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Cellular silicone material

Odor: Slight characteristic

Physical State: Solid

Boiling Point: NA

Melting Point: NE

Freezing Point: NA

Water Solubility: NE

Vapor Pressure: None

Specific Gravity: 0.2 - 0.4(Water = 1)

Partition Coefficient: NA

Explosive Properties: NA

Evaporation Rate: NA

Density: 0.2 - 0.4 g/cc

Viscosity: NA

Ignition Temperature: NA

pH: NA

Flammability: NA

Oxidizing Properties: NA

Dongguan Guangmai Electronic Technology Company Limited Phone: +86-0769-26621791 Web: http://www.guangmai.com Address: 16B Building,Internation Finance IT Research Development Center, NO.5 Keji Ten Road,Songshan Lake High-Tech Industrial Development Zone,Dongguan City,China

10. STABILITY AND REACTIVITY

Stability: Stable X	Unstable
Conditions to Avoid:NE	
Materials to Avoid:NE	
Hazardous Polymerization:	May OccurXDoes Not Occur
Hazardous Decomposition Products:	Decomposition in a fire may produce toxic fumes and
siliceous char Carbon monoxide, carbon dioxide, fluorine compounds, formaldehyde, silicon dioxide	
and traces of incompletely burned carbon compounds.	

11. TOXICOLOGICAL INFORMATION

Acute/Chronic: NE

Reproductive Hazards: NE

Carcinogenic Status: None

12. ECOLOGICAL INFORMATION

Ecotoxicity: NA

13. DISPOSAL CONSIDERATION

Environmental Toxicity Data: NA

Waste Disposal Method: Dispose of in accordance with local regulations

Container Disposal: Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

UN Number: Not Regulated

UN Proper Shipping Name: Not Regulated

Dongguan Guangmai Electronic Technology Company Limited Phone: +86-0769-26621791 Web: http://www.guangmai.com Address: 16B Building,Internation Finance IT Research Development Center, NO.5 Keji Ten Road,Songshan Lake High-Tech Industrial Development Zone,Dongguan City,China

Hazard Class (ES): Not Regulated

Packing Group: Not Regulated

Environmental Hazards: Not Regulated

15. REGULATORY INFORMATION

None

16. OTHER INFORMATION

NA = Not Applicable NE = Not Established

Prepared By: Marketing Department

Reviewed By: Technical Department

Date of filling:29/11/2018

The above information is based on the accuracy of the data, and this information may be applied or modified beyond our control, for which we are not responsible. This information is configured if the addressee determines the exclusive purpose of the material. Guangmai shall not be liable for life injury or property loss caused by this material to the buyer, user or third party. The risk of the use of related materials is borne by the buyer or user.